

## **Appendix**

### ***OCHS 2000: Constructs and variable names***

#### ***Contents***

Health	3
Work main	7
Social role functioning	11
Parenting	17
Sociodemographic concepts	20

<b>Abbreviations</b>	<b>Long form</b>	<b>Country</b>
CARNET	Canadian Aging Research Network	Canada
Census	Census of Canada	Canada
EIH-JOBS	Early In-Home Survey (JOBS)	USA
EYES	Edmonton Youth Employment Survey	Canada
GSS	General Social Survey	Canada
LFS	Labour Force Survey	Canada
NCDS	National Child Development Study	UK
NCS	National Comorbidity Study	USA
NLSCY	National Longitudinal Study of Children and Youth	Canada
NLSY	National Longitudinal Study of Youth	USA
NPHS	National Population Health Survey	Canada
NSGVP	National Survey of Giving, Volunteering and Participating	Canada
OCHS	Ontario Child Health Study	Canada
OHS	Ontario Health Survey	Canada
OHSUP	Ontario Health Supplement	Canada
PSID-DCS	Panel Survey of Income Dynamics - Child Development Supplement	USA
QES	Quality of Employment Surveys	USA
SIPP-CDS	Survey of Income and Program Participation - Child Development Supplement	USA
SLID	Survey of Labour and Income Dynamics	Canada

**ONTARIO CHILD HEALTH STUDY 2000**  
**Constructs and variable names**

<b>Section:</b>	<b>Health</b>	<b>Concept:</b>	<b>General health</b>
<b>Construct</b>	<b>SF-36</b>		
<b>Respondent:</b>	OCHS Respondent & partner		
<b>Items:</b>	36	<b>Location:</b>	OCHS2 & OCHS4: A1-A11
<b>Previously</b>	NPHS		
<b>Notes:</b>	SF-36 has seven dimensions: physical functioning, role limitations due to physical or mental health, bodily pain, social functioning, general mental health, vitality or energy, general health perceptions.		
<b>Variable names:</b>	I3SF1-2, I3SF3A-J, I3SF4A-D, I3SF5A-C, I3SF6--8, I3SF9A-I, I3SF10, I3SF11A-D; S3SF1-2, S3SF3A-J, S3SF4A-D, S3SF5A-C, S3SF6-8, S3SF9A-I, S3SF10, S3SF11A-D		
<b>Derived Variable Names:</b>	X3PHYFUN X3ROLEPH X3ROLEEM X3SOCFUN X3PAIN X3ENERGY X3MENTAL X3GENHLT X3PCS X3MCS X3SPROLM X3SPROLP X3SPSOCF X3SPPAIN X3SPENEF X3SPHYFN X3SPMENH X3SPGENH X3SPPCS X3SPMCS		
<b>Section:</b>	<b>Health</b>	<b>Concept:</b>	<b>General health</b>
<b>Construct</b>	<b>SF-12</b>		
<b>Respondent:</b>	OCHS respondents and out-migrants		
<b>Items:</b>	12	<b>Location:</b>	OCHS6: A1-A7
<b>Previously</b>	NPHS		
<b>Notes:</b>	SF-12 has seven dimensions: physical functioning, role limitations due to physical or mental health, bodily pain, social functioning, general mental health, vitality or energy, general health perceptions.		
<b>Variable names:</b>	M3SF121, M3SF122A-B, M3SF123A-B, M3SF124A-B, M3SF125, M3SF126A-C, M3SF127		
<b>Derived Variable Names:</b>	X3SF12PH X3SF12SO X3SF12RP X3SF12M3 X3SF12GH X3SF12PA X3SF12RE X3SF12MS X3SF12PS		
<b>Section:</b>	<b>Health</b>	<b>Concept:</b>	<b>General health</b>
<b>Construct</b>	<b>Obesity (BMI)</b>		
<b>Respondent:</b>	OCHS respondent		
<b>Items:</b>	2	<b>Location:</b>	OCHS2: A12-13
<b>Previously</b>	NPHS		
<b>Notes:</b>			
<b>Variable names:</b>	I3HTCMA-D, I3WTKGA-B		
<b>Derived Variable Names:</b>	X3BMI X3WEIGHT X3HEIGHT		

**ONTARIO CHILD HEALTH STUDY 2000**  
**Constructs and variable names**

**Section:** Health **Concept:** General health  
**Construct** Back Pain  
**Respondent:** OCHS respondent  
**Items:** 4 **Location:** OCHS2: A14-A17  
**Previously** NCDS  
**Notes:** Added question on impairment.  
**Variable names:** I3BACK1,I3BACK2,I3BACK3,I3BACK4  
**Derived Variable Names:** X3BACK

**Section:** Health **Concept:** General health  
**Construct** Chronic conditions, limitation  
**Respondent:** OCHS respondent  
**Items:** 19 **Location:** OCHS2: A18,A19  
**Previously** NPHS  
**Notes:**  
**Variable names:** I3HCRONA-R,I3HCRON2  
**Derived Variable Names:** X3NCHRON

**Section:** Health **Concept:** General health  
**Construct** Injuries  
**Respondent:** OCHS respondent  
**Items:** 7 **Location:** OCHS2: A20-A26  
**Previously** NPHS  
**Notes:** Added question on impairment.  
**Variable names:** I3INJ1,I3INJ2,I3INJ3,I3INJ4,I3INJ5,I3INJ6  
**Derived Variable Names:** X3INJST

**ONTARIO CHILD HEALTH STUDY 2000  
Constructs and variable names**

<b>Section:</b>	<b>Health</b>	<b>Concept:</b>	<b>Psychological health/well-being</b>
<b>Construct</b>	<b>Self-esteem</b>		
<b>Respondent:</b>	OCHS respondent		
<b>Items:</b>	10	<b>Location:</b>	OCHS3: A1
<b>Previously</b>	OCHS		
<b>Notes:</b>	Rosenberg self-esteem scale.		
<b>Variable names:</b>	C3ROSN1-10		
<b>Derived Variable Names:</b>	X3ROSENB		
<b>Section:</b>	<b>Health</b>	<b>Concept:</b>	<b>Psychological health/well-being</b>
<b>Construct</b>	<b>Depression</b>		
<b>Respondent:</b>	OCHS respondent		
<b>Items:</b>	2-37	<b>Location:</b>	OCHS2: A29-A65
<b>Previously</b>	NPHS, OHSUP		
<b>Notes:</b>	Composite International Diagnostic Interview - Short Form (CIDI-SF); DSMIV categorisations.		
<b>Variable names:</b>	I3DEP1-6,I3DEP7A-B,I3DEP8-12,I3A41CH,I3DEP13-23,I3DEP24A-B,I3DEP25-29,I3A59CH,I3DEP30-35		
<b>Derived Variable Names:</b>	X3MDSCOR,X3MDCASE,X3MDNPHS		
<b>Section:</b>	<b>Health</b>	<b>Concept:</b>	<b>Health risk behaviours</b>
<b>Construct</b>	<b>Tobacco &amp; alcohol use</b>		
<b>Respondent:</b>	OCHS respondent		
<b>Items:</b>	4	<b>Location:</b>	OCHS2: A75,A76,A80,A81
<b>Previously</b>	OCHS		
<b>Notes:</b>	Repeat of 2 questions on smoking and 2 on alcohol asked in previous OCHS waves.		
<b>Variable names:</b>			
<b>Derived Variable Names:</b>	X31stSMK, X31stBZ		

**ONTARIO CHILD HEALTH STUDY 2000**  
**Constructs and variable names**

**Section:** Health **Concept:** Health risk behaviours  
**Construct** Current tobacco use  
**Respondent:** OCHS respondent  
**Items:** 3 **Location:** OCHS2: A77-A79,A82  
**Previously** OCHS  
**Notes:**  
**Variable names:**  
**Derived Variable Names:** X3SMKPAT, X3SMOKER

**Section:** Health **Concept:** Health risk behaviours  
**Construct** Current use of alcohol  
**Respondent:** OCHS respondent  
**Items:** 11 **Location:** OCHS3: A3-A7  
**Previously** OCHS  
**Notes:** Audit modified by addition of screening question.  
**Variable names:** C3AUD1-10  
**Derived Variable Names:** X3AUDIT

**Section:** Health **Concept:** Health risk behaviours  
**Construct** Current use of illicit drugs  
**Respondent:** OCHS respondent  
**Items:** 10-13 **Location:** OCHS3: A8-A12  
**Previously** OCHS, CIDI-SF  
**Notes:** 3 questions from CIDI-SF on impairment associated with drug use.  
**Variable names:** C3DRUG1,C3DRUG2A-I,C3DRUG3-5  
**Derived Variable Names:** X3DRUGS,X3DRIMP

**ONTARIO CHILD HEALTH STUDY 2000**  
**Constructs and variable names**

<b>Section:</b>	<b>Health</b>	<b>Concept:</b>	<b>Satisfaction with life</b>
<b>Construct</b>	<b>Satisfaction with life</b>		
<b>Respondent:</b>	OCHS respondent, partner, out-migrant		
<b>Items:</b>	9	<b>Location:</b>	OCHS2: E52; OCHS4: E15; OCHS6: E1
<b>Previously</b>	GSS Cycle 4		
<b>Notes:</b>	One item added to cover neighbourhood. Items cover: health, education, job/main activity, finances, housing, neighbourhood, spouse/partner/being single, relationships with family and friends,		
<b>Variable names:</b>	I3SATISA-I;S3SATISA-I; M3SATISA-I		
<b>Derived Variable Names:</b>	X3SATIS		
<b>Section:</b>	<b>Work main role</b>	<b>Concept:</b>	<b>Labour force participation</b>
<b>Construct</b>	<b>Labour force participation</b>		
<b>Respondent:</b>	OCHS respondent, partner asked main role and past year		
<b>Items:</b>	66	<b>Location:</b>	OCHS2: B1-B65; OCHS4: E2-E5; OCHS6:B1-B18
<b>Previously</b>	LFS		
<b>Notes:</b>	Only core questions required to determine labour force status included. Questions concerning permanent disability and attribution of illness/disability added.		
<b>Variable names:</b>	I3LF1-5,I3LF6A-B,I3B7CH,I3LF8-24,I3B25CH,I3LF26-32,I3B33CH,ILF34-42,3B43CH,I3LF44,I3B45CH,I3B46CH,I3LF47-54,I3B55CH, I3LF5658,I3B59CH,I3LF60-65		
<b>Derived Variable Names:</b>	X3LFSTAT, X3MAIN		
<b>Section:</b>	<b>Work main role</b>	<b>Concept:</b>	<b>Labour force attachment</b>
<b>Construct</b>	<b>Work calendar</b>		
<b>Respondent:</b>	OCHS respondent		
<b>Items:</b>	12+	<b>Location:</b>	OCHS3: B14
<b>Previously</b>	Dunedin Study EYES		
<b>Notes:</b>	Modification of Life History calendar and calendar used in EYES.		
<b>Variable names:</b>	C3WCOC7A-D, C3WCNO7A-D, C3WCDE7A-D, C3WCJA8A-D, C3WCFE8A-D, C3WCMR8A-D, C3WCAP8A-D, C3WCMY8A-D, C3WCJN8A-D, C3WCJL8A-D, C3WCAU8A-D, C3WCSE8A-D, C3WCOC8A-D, C3WCNO8A-D, C3WCDE8A-D, C3WCJA9A-D, C3WCFE9A-D, C3WCMR9A-D, C3WCAP9A-D, C3WCMY9A-D, C3WCJN9A-D, C3WCJL9A-D, C3WCAU9A-D, C3WCSE9A-D, C3WCOC9A-D, C3WCNO9A-D, C3WCDE9A-D, C3WCJA0A-D, C3WCFE0A-D, C3WCMR0A-D, C3WCAP0A-D, C3WCMY0A-D, C3WCJN0A-D, C3WCJL0A-D, C3WCAU0A-D, C3WCSE0A-D, C3WCOC0A-D, C3WCNO0A-D, C3WCDE0A-D, C3WCJA1A-D, C3WCFE1A-D, C3WCMR1A-D, C3WCAP1A-D, C3WCMY1A-D, C3WCJN1A-D, C3WCJL1A-D, C3WCAU1A-D, C3WCSE1A-D, C3WCOC1A-D, C3WCNO1A-D		
<b>Derived Variable Names:</b>	X3EMPSP X3UNEMSP X3SCHSP X3OTHSP X3EMPTL X3UNEMTL X3SCHTL X3OTHTL X3SCEMPC X3EMPPC X3SCHPC X3UNEMPC X3OTHPC X3EMP12 X3UNEM12 X3OUTL12		







**ONTARIO CHILD HEALTH STUDY 2000  
Constructs and variable names**

**Section:** Social role functioning      **Concept:** Partner relationship  
**Construct** Partnership history  
**Respondent:** OCHS respondent  
**Items:** 4-10      **Location:** OCHS2: C1-C12  
**Previously** NCDS  
**Notes:**  
**Variable names:** I3REL1-2  
**Derived Variable Names:** X3RELST X3RELYRK X3RELNUM X31stREL

**Section:** Social role functioning      **Concept:** Partner relationship  
**Construct** Quality of partnership  
**Respondent:** OCHS respondent and partner  
**Items:** 7      **Location:** OCHS3: C15-C21; OCHS4: B1-B7  
**Previously** NCDS  
**Notes:** Relationship Assessment Scale  
**Variable names:** C3RAS1-7; S3RAS1-7  
**Derived Variable Names:** X3TOTRAS,X3AVRAS

**Section:** Social role functioning      **Concept:** Partner relationship  
**Construct** Partner problem behaviour  
**Respondent:** OCHS respondent and partner  
**Items:** 9      **Location:** OCHS3: C22; OCHS4: C1  
**Previously** NCDS  
**Notes:** OCHS respondent reporting on behaviour of partner, partner reporting on behaviour of OCHS respondent.  
**Variable names:** C3SBEVA-I; S3BEVA-I  
**Derived Variable Names:** X3SPBEH

**ONTARIO CHILD HEALTH STUDY 2000  
Constructs and variable names**

**Section:** Social role functioning                      **Concept:** Partner relationship  
**Construct**                      **Adult attachment style**  
**Respondent:** OCHS respondent  
**Items:** 3                                                              **Location:** OCHS2: C19  
**Previously**                      NCDS  
**Notes:** Hazan and Shaver. Asked even if not in a relationship.  
**Variable names:** I3ATTCH  
**Derived Variable Names:** X3ATTCH

**Section:** Social role functioning                      **Concept:** Family relationship  
**Construct**                      **Family functioning**  
**Respondent:** OCHS respondent and partner  
**Items:** 12                                                              **Location:** OCHS2: C23; OCHS4: C2  
**Previously**                      NCDS  
**Notes:** McMaster Family Assessment Devide asked of OCHS resopndent if living with partner and/or child and/or parents.  
**Variable names:** I3PBIDA-I; S3FADA-L  
**Derived Variable Names:** X3FAD

**Section:** Social role functioning                      **Concept:** Family relationship  
**Construct**                      **Family history**  
**Respondent:** OCHS respondent  
**Items:** 14                                                              **Location:** OCHS2: C20,C22,C25-C37  
**Previously**  
**Notes:** Parenting figure was identified as the male/female who spent the most time raising the respondent before age 16. OHSUP questions on mental health were modified and simplified by the McMaster  
**Variable names:** I3MOMFIG,I3DADFIG,I3FAMH1-6,I3C31CH,I3FAMH7-12  
**Derived Variable Names:** X3PRTRLN X3FAMH X3FAMHRL

**ONTARIO CHILD HEALTH STUDY 2000  
Constructs and variable names**

**Section:** Social role functioning      **Concept:** Family relationship  
**Construct** Leaving home  
**Respondent:** OCHS respondent  
**Items:** 2      **Location:** OCHS2: C36-C37  
**Previously**  
**Notes:** Developed by McMaster team.  
**Variable names:** I3FAMH11-12  
**Derived Variable Names:** X31stLHM

**Section:** Social role functioning      **Concept:** Family relationship  
**Construct** Perceptions of parents  
**Respondent:** OCHS respondent  
**Items:** 18      **Location:** OCHS2: C21,C23  
**Previously**  
**Notes:** Subset of parental bonding instrument. Nine items per parent.  
**Variable names:** I3PB1MA-I,I3PBIDA-I  
**Derived Variable Names:** X3PBICAM X3PBICAF X3PBIOPM X3PBIOPF

**Section:** Social role functioning      **Concept:** Family relationship  
**Construct** Early childhood bullying/abuse  
**Respondent:** OCHS respondent  
**Items:** 14      **Location:** OCHS3: C24-37  
**Previously** OHSUP, OFNRHS?  
**Notes:** Developed by Drs. Harriet MacMillan, Nico Trocme & Michael Boyle. Based on scales already used in OHSUP and questions from the Conflicts Tactics Scale. Field testing for acceptability & temporal stability already completed. From peers and/or adults, including physical and sexual abuse.  
**Variable names:** C3ABU1,C3ABU2A-C,C3ABU3,C3ABU4A-C,C3ABU5-7,C3ABU8A-C,C3ABU9,C3ABU10A-C,C3ABU11,C3ABU12A-C,C3ABU13,C3ABU14A-C  
**Derived Variable Names:** X3SPHYAB X3PHYAB X3SEXAB X3SSEXAB

**ONTARIO CHILD HEALTH STUDY 2000  
Constructs and variable names**

**Section:** Social role functioning      **Concept:** Family relationship  
**Construct** Death of parenting figures  
**Respondent:** OCHS respondent  
**Items:** 4      **Location:** OCHS2: C41, C42, C46, C47  
**Previously** OHSUP  
**Notes:**  
**Variable names:** I3RELM1-2,I3RELD1-2  
**Derived Variable Names:** X3PRTDTH

**Section:** Social role functioning      **Concept:** Family relationship  
**Construct** Current relations with family  
**Respondent:** OCHS respondent  
**Items:** 7      **Location:** OCHS2: C41-C52  
**Previously**  
**Notes:**  
**Variable names:** I3RELM1-4,I3C45CH,I3RELD1-4,I3RELF1-3  
**Derived Variable Names:** X3TOTRAS X3AVRAS X3RELMTH X3RELFTH X3RELFAM X3RELFRD X3RELNGH

**Section:** Social role functioning      **Concept:** Social integration  
**Construct** Social integration  
**Respondent:** OCHS respondent  
**Items:** 9      **Location:** OCHS2: C53-C61  
**Previously**  
**Notes:** Clubs, organizations; attendance of religious services; relations with neighbours.  
**Variable names:** I3RELF1-3,I3CLUBS1-2,I3RELIG,I3RELN1-3  
**Derived Variable Names:** X3CLUB X3RELIG

**ONTARIO CHILD HEALTH STUDY 2000**  
**Constructs and variable names**

**Section:** Social role functioning      **Concept:** Social integration  
**Construct** Perceptions of neighbourhood  
**Respondent:** OCHS respondent  
**Items:**      **Location:** OCHS2: C70-71  
**Previously** NLSCY  
**Notes:** Revised version of sections of Simcha-Fagan Neighbourhood Questionnaire. Social cohesion (5 items), problems (6 items).  
**Variable names:** I3NGHIA-E,I3NGH2A-F  
**Derived Variable Names:** X3NGHCOH,X3NGHPRB

**Section:** Social role functioning      **Concept:** Social integration  
**Construct** Previous neighbourhoods  
**Respondent:** OCHS respondent  
**Items:** 12      **Location:** OCHS2: C72-C84  
**Previously**  
**Notes:** Developed by McMaster team. Previous neighbourhood and first neighbourhood after leaving home.  
**Variable names:** I3NGH3-6,I3NGH7A-B,I3NGH8-10,I3C80CH,I3NGH11-14  
**Derived Variable Names:** Geographic information not currently available for previous neighbourhood

**Section:** Social role functioning      **Concept:** Social integration  
**Construct** Civic-mindedness  
**Respondent:** OCHS respondent  
**Items:** 13      **Location:** OCHS2: C62-C69  
**Previously** NSGVP  
**Notes:** Organised/informal volunteering; blood donation; charitable donation.  
**Variable names:** I3CIV1-3,I3CIV4A-E,I3CIV5-8  
**Derived Variable Names:** X3VOLORG X3VOLOHR X3VOLINF X3VOLIFQ X3VOLDON X3VOLDAM X3VOLBLD X3SUMCIV



**ONTARIO CHILD HEALTH STUDY 2000**  
**Constructs and variable names**

Page 17

<b>Section:</b>	<b>Social role functioning</b>	<b>Concept:</b>	<b>Social integration</b>
<b>Construct</b>	<b>Important experiences/people</b>		
<b>Respondent:</b>	OCHS respondent		
<b>Items:</b>	9-20	<b>Location:</b>	OCHS2: C85-C98
<b>Previously</b>			
<b>Notes:</b>	Events list from NCS questions. Important experiences/person developed by McMaster team. Life events (7 items) and life-changing experiences/person (2-13 items).		
<b>Variable names:</b>	I3EVN1A-G,I3EVN2-13,I3EVN14A-H		
<b>Derived Variable Names:</b>	X3STREVN, X3LEXPSC, X3LEXP		
<b>Section:</b>	<b>Parenting role</b>	<b>Concept:</b>	<b>Parent role</b>
<b>Construct</b>	<b>Duration of single parenthood</b>		
<b>Respondent:</b>	OCHS respondent		
<b>Items:</b>	1	<b>Location:</b>	OCHS2: D2
<b>Previously</b>			
<b>Notes:</b>			
<b>Variable names:</b>	I3SGLPRA-B		
<b>Derived Variable Names:</b>	X31stSPT		
<b>Section:</b>	<b>Parenting role</b>	<b>Concept:</b>	<b>Parent role</b>
<b>Construct</b>	<b>Parenting style</b>		
<b>Respondent:</b>	OCHS respondent and partner		
<b>Items:</b>	19	<b>Location:</b>	OCHS3: D40-D58; OCHS4: D23
<b>Previously</b>	NLSCY		
<b>Notes:</b>	Adaptation of Strayhorn and Weidman's Parenting Practices Scale. Constructs include positive interaction, hostile/ineffective parenting and consistent parenting.		
<b>Variable names:</b>	C3PRST1-19; S3PRST19		
<b>Derived Variable Names:</b>	X3PRPOS,X3PRHOS,X3PRCON		





**ONTARIO CHILD HEALTH STUDY 2000**  
**Constructs and variable names**

**Section:** Sociodemographics                      **Concept:** Sociodemographics  
**Construct**                      **Name, DOB, Sex, Marital Status**  
**Respondent:** OCHS respondent  
**Items:** 4+                                              **Location:** OCHS1: 5-6  
**Previously**  
**Notes:** For all household members, including children in joint custody on an equal time basis.  
**Variable names:** UNSTATED  
**Derived Variable Names:** X3AGEYRS (of child)

**Section:** Sociodemographics                      **Concept:** Sociodemographics  
**Construct**                      **Relationship grid**  
**Respondent:** OCHS respondent  
**Items:** 1-12                                              **Location:** OCHS1: 8  
**Previously**                      SLID  
**Notes:** Relationship of all household members with one another.  
**Variable names:** UNSTATED  
**Derived Variable Names:** Not released by Statistics Canada

**Section:** Sociodemographics                      **Concept:** Sociodemographics  
**Construct**                      **Language of home**  
**Respondent:** OCHS respondent  
**Items:** 1                                              **Location:** OCHS2: E1  
**Previously**                      Census, OHS  
**Notes:**  
**Variable names:** I3HLANG  
**Derived Variable Names:** X3HLANG

**ONTARIO CHILD HEALTH STUDY 2000  
Constructs and variable names**

**Section:** Sociodemographics **Concept:** Sociodemographics  
**Construct** Numbers of rooms  
**Respondent:** OCHS respondent  
**Items:** 1 **Location:** OCHS2: E2  
**Previously** Census  
**Notes:**  
**Variable names:** I3ROOMS, NMEM  
**Derived Variable Names:** X3CROWD (indicator of an overcrowded household)

**Section:** Sociodemographics **Concept:** Sociodemographics  
**Construct** Household ownership  
**Respondent:** OCHS respondent  
**Items:** 6 **Location:** OCHS2: E3-E8  
**Previously** OCHS  
**Notes:** Owned/subsidized home, current home ownership, first-time ownership.  
**Variable names:** I3HOMON1-5  
**Derived Variable Names:** X3HMOWN X3HMSUB X31stHM

**Section:** Sociodemographics **Concept:** Sociodemographics  
**Construct** Condition of home  
**Respondent:** OCHS respondent  
**Items:** 2 **Location:** OCHS2: E9-E10  
**Previously** Census  
**Notes:**  
**Variable names:** I3HMRP1,I3HMRP2A-B  
**Derived Variable Names:** X3HMRP

**ONTARIO CHILD HEALTH STUDY 2000**  
**Constructs and variable names**

**Section:** Sociodemographics                      **Concept:** Sociodemographics  
**Construct** Car ownership  
**Respondent:** OCHS respondent  
**Items:** 4                                                              **Location:** OCHS2: E11-E14  
**Previously**  
**Notes:** OCHS development team. Current, first car, age got driver's license.  
**Variable names:** I3CAR1-4  
**Derived Variable Names:** X31stCAR X31stLIC

**Section:** Sociodemographics                      **Concept:** Sociodemographics  
**Construct** Personal and household income  
**Respondent:** OCHS respondent and partner; out-migrant  
**Items:** 10+                                                              **Location:** OCHS2: E15-E29; OCHS4: E6-E14; OCHS6: D1-D8  
**Previously** NLSCY  
**Notes:** Partners were asked a subset of questions on personal income; out-migrants were asked only for total personal/household income.  
**Variable names:** I3INCP1-7,I3E22CH,I3INCP8-10,I3INCH1-4; S3SINCP1-9; M3INCP1-4; M3INCH1-4  
**Derived Variable Names:** X3HHINC X3INC

**Section:** Sociodemographics                      **Concept:** Sociodemographics  
**Construct** Educational attainment  
**Respondent:** OCHS respondent (see below for education of partner), out-migrant asked only attainment.  
**Items:** 5-19                                                              **Location:** OCHS2: B97-B135; OCHS 6: C1-C10  
**Previously** Census  
**Notes:** First time school leaving and job questions developed by McMaster team based on LFS questions.  
**Variable names:** I3EDU1-10,I3B107CH,I3EDU11A-J,I3EDU12,I3EDU13A-B,I3EDU14,I3B112CH,I3EDU15A-B,I3EDU16A-B,I3EDU17A-B,I3EDU18-21,I3EDU22A-B,I3EDU23-24,I3EDU25A-J,I3EDU26A-B,I3EDU27,I3B126CH,I3EDU28A-B,I3EDU29,I3EDU30A-B,I3EDU31-34,I3EDU35A-B,I3EDU36  
**Derived Variable Names:** X3YREDU X3EDU X3EDUPOT X31stLSC

**ONTARIO CHILD HEALTH STUDY 2000**  
**Constructs and variable names**

**Section:** Sociodemographics                      **Concept:** Sociodemographics  
**Construct**                      **Family socioeconomic status**  
**Respondent:** OCHS respondent  
**Items:** 5 derived                                      **Location:**  
**Previously**                      NLSCY  
**Notes:** (ZX3YREDU+ZX3YREDS+ZX3PINLOGR+ZX3PINLOGS+ZX3HHINC)/5  
**Variable names:**  
**Derived Variable Names:**    X3FAMSES

**Section:** Sociodemographics                      **Concept:** Partner's sociodemographics  
**Construct**                      **Partner country of birth**  
**Respondent:** OCHS partner  
**Items:** 1                                                      **Location:** OCHS4: E1  
**Previously**  
**Notes:** Already known for OCHS respondent from 1983 survey.  
**Variable names:** S3CBIRTH  
**Derived Variable Names:**    X3SPBIRTH

**Section:** Sociodemographics                      **Concept:** Partner's sociodemographics  
**Construct**                      **Partner educational attainment**  
**Respondent:** OCHS respondent  
**Items:** 5                                                      **Location:** OCHS2: E31-E35  
**Previously**                      Census  
**Notes:**  
**Variable names:** I3SEDU1-5  
**Derived Variable Names:**    X3YREDSP

**ONTARIO CHILD HEALTH STUDY 2000**  
**Constructs and variable names**

Page 24

**Section:** Sociodemographics                      **Concept:** Partner's sociodemographics  
**Construct**                      **Partner labour force status**  
**Respondent:** OCHS respondent  
**Items:** 16                                              **Location:** OCHS2: E36-E51  
**Previously**                      LFS  
**Notes:**  
**Variable names:** I3SJOB1-2,I3SJOB3A-B,I3SJOB4-16  
**Derived Variable Names:** X3SPLFST